

SAFETY DATA SHEET

AGS 2+ GEL

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name AGS 2+ GEL Product no. 3640 Unique formula identifier (UFI) TQ10-F0QP-700P-UUCT 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Graffiti remover Restricted to professional users. Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address **Trion Tensid AB** Svederusgatan 1-3 SE-75450 Uppsala Sweden +46 18 15 61 90 www.trion.se Contact person William Stomilovic E-mail info@trion.se Revision 11/11/2024 SDS Version 6.0 Date of previous version 15/03/2024 (5.0) 1.4. ▼Emergency telephone number Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service) General public: England - Dial 111 to reach NHS 111 (24 hour service) Scotland - Dial 112 to reach NHS 24 (24 hour service) Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service) See section 4 "First aid measures".



SECTION 2: Hazards identification

```
Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.
2.1. Classification of the substance or mixture
  Skin Irrit. 2; H315, Causes skin irritation.
  Eye Irrit. 2; H319, Causes serious eye irritation.
2.2. Label elements
  Hazard pictogram(s)
  Signal word
     Warning
  Hazard statement(s)
     Causes skin irritation. (H315)
     Causes serious eye irritation. (H319)
  Precautionary statement(s)
     General
     Prevention
       Wash hands thoroughly after handling. (P264)
        Wear eye protection/protective gloves/protective clothing. (P280)
      ▼ Response
       IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
        Continue rinsing. (P305+P351+P338)
       If eye irritation persists: Get medical advice/attention. (P337+P313)
     Storage
     Disposal
  Hazardous substances
     1-butylpyrrolidin-2-one
     1-methoxy-2-propanol monopropylene glycol methyl ether
  Additional labelling
     UFI: TQ10-F0QP-700P-UUCT
  VOC
     VOC content: 164 g/L
     MAXIMUM VOC CONTENT (Phase II, category B/a1: 850 g/L)
2.3. Other hazards
   Additional warnings
     This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.
     This product does not contain any substances considered to be endocrine disruptors in accordance with the
     criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.
```

SECTION 3: Composition/information on ingredients



3.1. Substances

Not applicable. This product is a mixture.

3.2. ▼Mixtures

| Product/substance | Identifiers | % w/w | Classification | Note |
|---|--|--------|---|----------|
| 1-butylpyrrolidin-2-one | CAS No.: 3470-98-2 EC No.: 222-437-8 UK-REACH: Index No.: | 15-25% | Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 | |
| 1-methoxy-2-propanol monopropylene glycol methyl ether | CAS No.: 107-98-2 EC No.: 203-539-1 UK-REACH: Index No.: 603-064-00-3 | 5-10% | Flam. Liq. 3, H226 STOT SE 3, H336 | [1] |
| 2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether | CAS No.: 112-34-5 EC No.: 203-961-6 UK-REACH: Index No.: 603-096-00-8 | 5-10% | Eye Irrit. 2, H319 | [1], [3] |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

[3] According to UK REACH, Annex XVII, the substance is subject to restrictions.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid



inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO_x)

Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.



SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material

Always store in containers of the same material as the original container.

Storage conditions

4 - 25 Celcius

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1-methoxy-2-propanol monopropylene glycol methyl ether Long term exposure limit (8 hours) (ppm): 100 Long term exposure limit (8 hours) (mg/m³): 375 Short term exposure limit (15 minutes) (ppm): 150 Short term exposure limit (15 minutes) (mg/m³): 560 Annotations: Sk = Can be absorbed through the skin and lead to systemic toxicity.

2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether Long term exposure limit (8 hours) (ppm): 10 Long term exposure limit (8 hours) (mg/m³): 67,5 Short term exposure limit (15 minutes) (ppm): 15 Short term exposure limit (15 minutes) (mg/m³): 101,2

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

1-butylpyrrolidin-2-one **Duration**: DNEL: **Route of exposure:** 5 mg/kg bw/day Long term - Systemic effects - General population Dermal Long term - Systemic effects - Workers Dermal 10 mg/kg bw/day Inhalation Long term – Systemic effects - General population 17,4 mg/m3 Long term – Systemic effects - Workers Inhalation 70,5 mg/m3 Long term - Systemic effects - General population Oral 2,5 mg/kg bw/day



| Short term – Systemic effects - General population | Oral | 2,5 mg/kg bw/day |
|---|--------------------|--------------------|
| 2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl e | ther | |
| Duration: | Route of exposure: | DNEL: |
| Long term – Systemic effects - Workers | Dermal | 20 mg/kg/day |
| Long term – Local effects - Workers | Inhalation | 67,5 mg/kbm 10 ppm |
| Long term – Systemic effects - Workers | Inhalation | 67,5 mg/kbm 10 ppm |
| Short term – Local effects - Workers | Inhalation | 101,2 mg/kbm |
| | | |

PNEC

1-butylpyrrolidin-2-one

| Route of exposure: | Duration of Exposure: | PNEC: |
|------------------------|-----------------------|--------------|
| Freshwater | Single | 0,8 mg/L |
| Freshwater sediment | Single | 6,336 mg/kg |
| Marine water | Single | 0,08 mg/L |
| Marine water sediment | Single | 06336 mg/kg |
| Sewage treatment plant | Continuous | 30,62 mg/L |
| Soil | Single | 0,7955 mg/kg |
| Water | Single | 1 mg/L |

2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether

| Route of exposure: | Duration of Exposure: | PNEC: |
|------------------------|-----------------------|------------|
| Freshwater | Single | 1 mg/L |
| Freshwater sediment | Single | 4,4 mg/kg |
| Marine water | Single | 0,1 mg/L |
| Marine water sediment | Single | 0,44 mg/kg |
| Sewage treatment plant | Single | 200 mg/L |
| Soil | Single | 0,32 mg/kg |
| | | |

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures



Take off contaminated clothing and wash it before reuse.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only UKCA marked protective equipment.

Respiratory Equipment

| Туре | Class | Colour | Standards |
|--|-------|--------|-----------|
| Respiratory protection is not needed in the event of adequate ventilation | - | - | - |

Skin protection

| Recommended | Type/Category | Standards | |
|---|---------------|-----------|---|
| Dedicated work clothing should be worn. | - | - | R |

Hand protection

| Material | Glove thickness (mm) | Breakthrough time (min.) | Standards | |
|----------|----------------------|-----------------------------|-----------|--|
| Nitrile | 0,4 | >480 | EN374-2 | |

Eye protection

| Туре | Standards | |
|--|-----------|--|
| Wear safety glasses with side shields. | EN166 | |

SECTION 9: Physical and chemical properties

```
9.1. Information on basic physical and chemical properties
```

```
Physical state

Gel

Colour

Yellowish

Odour / Odour threshold

Solvent

pH

-

pH in solution

7 (10%)

Density (g/cm<sup>3</sup>)

1.09

▼ Kinematic viscosity

No relevant or available data due to the nature of the product.
```



```
Particle characteristics
      Does not apply to liquids.
Phase changes
   ▼ Melting point/Freezing point (°C)
      No relevant or available data due to the nature of the product.
   Softening point/range (°C)
      Does not apply to liquids.
   Boiling point (°C)
      120-150
   ▼ Vapour pressure
      No relevant or available data due to the nature of the product.
   ▼ Relative vapour density
      No relevant or available data due to the nature of the product.
   ▼ Decomposition temperature (°C)
      No relevant or available data due to the nature of the product.
Data on fire and explosion hazards
   Flash point (°C)
      106
   Flammability (°C)
     212
   ▼ Auto-ignition temperature (°C)
      No relevant or available data due to the nature of the product.
   Lower and upper explosion limit (% v/v)
      0.9 - 8.7
Solubility
   Solubility in water
      Completely soluble
   ▼ n-octanol/water coefficient (LogKow)
      No relevant or available data due to the nature of the product.
   ▼ Solubility in fat (g/L)
      No relevant or available data due to the nature of the product.
9.2. Other information
  VOC (q/L)
      164
   Other physical and chemical parameters
      No data available.

    Oxidizing properties

      No relevant or available data due to the nature of the product.
SECTION 10: Stability and reactivity
10.1. Reactivity
   No data available.
10.2. Chemical stability
  The product is stable under the conditions, noted in section 7 "Handling and storage".
10.3. Possibility of hazardous reactions
```

None known.

10.4. Conditions to avoid



None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. ▼Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

| 11.1. Information on hazard classes as defined in Re | egulation (EC) No 1272/2008 |
|--|-----------------------------|
|--|-----------------------------|

Acute toxicity

| icute toxicity | |
|--------------------|---|
| Product/substance | 1-butylpyrrolidin-2-one |
| | |
| Species: | Rat |
| Route of exposure: | Oral |
| Test: | LD50 |
| | |
| Result: | 300-2000 mg/kg · |
| Draduct/cubstance | 1 hutuburgalidin 2 ana |
| Product/substance | 1-butylpyrrolidin-2-one |
| Species: | Rabbit |
| Route of exposure: | Dermal |
| Test: | LD50 |
| | |
| Result: | >2000 mg/kg · |
| Product/substance | 1-methoxy-2-propanol monopropylene glycol methyl ether |
| Species: | Rat |
| Route of exposure: | Oral |
| | |
| Test: | LD50 |
| Result: | 7200 mg/kg |
| Product/substance | 1-methoxy-2-propanol monopropylene glycol methyl ether |
| | |
| Species: | Rabbit |
| Route of exposure: | Dermal |
| Test: | LD50 |
| Result: | 13000 mg/kg · |
| Result. | 15000 mg/kg |
| Product/substance | 1-methoxy-2-propanol monopropylene glycol methyl ether |
| Species: | Rat |
| | |
| Route of exposure: | Inhalation |
| Test: | LC 50 (6 Hours) |
| Result: | 7200 ppm |
| | |
| Product/substance | 2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether |
| Species: | Rat |
| • | |
| Route of exposure: | Inhalation |
| Test: | LC50 |
| Result: | >29 ppm (2h) · |
| | |
| Product/substance | 2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether |
| Species: | Rat |
| • | |
| Route of exposure: | Oral |
| Test: | LD50 |
| Result: | 2410 mg/kg · |
| | |



Product/substance2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl etherSpecies:RabbitRoute of exposure:DermalTest:LD50Result:2764 mg/kg ·

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: Ecological information

12.1. Toxicity

| Product/substance | 1-butylpyrrolidin-2-one | |
|-------------------|-------------------------|--|
| Species: | Fish | |
| Duration: | 96 hours | |
| Test: | LC50 | |
| Result: | >100 mg/L · | |
| Product/substance | 1-butylpyrrolidin-2-one | |
| Species: | Algae | |
| Duration: | 72 hours | |
| Test: | EC50 | |



| Result: | 130 mg/L · |
|------------------------|---|
| Product/substance | 1-butylpyrrolidin-2-one |
| Species: | Daphnia |
| Duration: | 48 hours |
| Test: | EC50 |
| Result: | >100 mg/L · |
| | |
| Product/substance | 1-methoxy-2-propanol monopropylene glycol methyl ether |
| Species: | Fish |
| Duration: | 96 hours |
| Test: | LC50 |
| Result: | 20800 mg/L |
| Product/substance | 1-methoxy-2-propanol monopropylene glycol methyl ether |
| Species: | Daphnia |
| Duration: | 96 hours |
| Test: | EC50 |
| | |
| Result: | 23300 mg/L |
| Product/substance | 1-methoxy-2-propanol monopropylene glycol methyl ether |
| Species: | Algae |
| Duration: | 72 hours |
| Test: | IC50 |
| Result: | >1000 mg/L |
| Product/substance | 2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether |
| Species: | Fish |
| Duration: | 96 hours |
| Test: | LC50 |
| | |
| Result: | 1300 mg/l · |
| Product/substance | 2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether |
| Species: | Daphnia |
| Duration: | 72 hours |
| Test: | EC50 |
| Result: | >100 mg/l · |
| Product/substance | 2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether |
| Species: | Algae |
| Duration: | 96 hours |
| Test: | EC50 |
| Result: | >100 mg/l · |
| | |
| .2. Persistence and de | |
| Product/substance | 1-butylpyrrolidin-2-one |
| Conclusion: | Readily biodegradable |
| Product/substance | 1-methoxy-2-propanol monopropylene glycol methyl ether |
| Result: | 96% |
| Conclusion: | Readily biodegradable |
| Conclusion. | |



| Product/substance | 2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether |
|-------------------|---|
| Result: | 100% |
| Conclusion: | Readily biodegradable |
| Test: | OECD 301 B |

12.3. Bioaccumulative potential

| Product/substance | 1-butylpyrrolidin-2-one |
|-------------------|---|
| Conclusion: | No potential for bioaccumulation |
| Product/substance | 1-methoxy-2-propanol monopropylene glycol methyl ether |
| LogKow: | <3 |
| Conclusion: | No potential for bioaccumulation |
| Product/substance | 2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether |
| LogKow: | 1,0000 |
| Conclusion: | No potential for bioaccumulation |

12.4. Mobility in soil

1-methoxy-2-propanol monopropylene glycol methyl ether LogKoc = 1.699, High mobility potential.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste. (*)

HP 4 - Irritant (skin irritation and eye damage)

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

After dilution with water, small quantities are permitted to go to water treatment plants. Empty packages and product residues must be handled in an environmentally correct manner according to applicable laws and provisions. The company is affiliated to REPA. Do not attempt to refill or clean the package.

EWC code

20 01 30 Detergents other than those mentioned in 20 01 29

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

| | 14.1 14.2 | 14.3 | 14.4 | 14.5 | Other |
|-----|---------------------------------|------------------|------|-------|------------|
| | UN / ID UN proper shipping name | Hazard class(es) | PG* | Env** | informatio |
| | | | | | n: |
| ADR | | - | - | - | - |



| | 14.1 UN / ID | 14.2 UN proper shipping name | 14.3 Hazard class(es) | 14.4 PG* | 14.5 Env** | Other informati |
|--|---|--|---|--|---|----------------------------------|
| | | | | | | n: |
| IMDG | - | - | - | - | - | - |
| ATA | - | - | - | - | - | - |
| ^r Packing g | • | | | | | |
| * Environr | nental haz | zards | | | | |
| | l informat | | | | | |
| Not da | ngerous g | oods according to ADR, IATA | and IMDG. | | | |
| | | itions for user | | | | |
| Not ap | plicable. | | | | | |
| | | sport in bulk according to IM | IO instruments | | | |
| No dat | a available | 2. | | | | |
| CECTION | 145. D | | | | | |
| SECTION | i 15: Regi | llatory information | | | | |
| | | | | | | |
| 1E 1 Cofe | ty boolth | and onvironmental regulation | and logiciation choosific for the subst | tanco or mixturo | | |
| | - | - | ons/legislation specific for the subst | tance or mixture | | |
| Restric | tions for a | pplication | ons/legislation specific for the subst | tance or mixture | | |
| Restric Res | tions for a tricted to | pplication professional users. | | | ud possib | lo tochnica |
| Restric Res Pre | tions for a tricted to gnant wor | pplication professional users. nen and women breastfeedin | ng must not be exposed to this pro | oduct. The risk, ar | ıd possib | le technica |
| Restric Res Pre pre | tions for a tricted to gnant wor cautions o | pplication professional users. men and women breastfeedin r design of the workplace ne | | oduct. The risk, ar | nd possib | le technica |
| Restric Res Pre pre Demar | tions for a tricted to gnant wor cautions o nds for spe | application professional users. men and women breastfeedin or design of the workplace ne ecific education | ng must not be exposed to this pro | oduct. The risk, ar | ıd possib | le technica |
| Restric Res Pre pre Demar No | tions for a tricted to gnant wor cautions o nds for spe specific re | application professional users. men and women breastfeedin or design of the workplace ne ecific education quirements. | ng must not be exposed to this pro reded to eliminate exposure, must | oduct. The risk, ar | ıd possib | le technica |
| Restric Res Pre pre Demar No SEVES | tions for a tricted to gnant wor cautions o nds for spe specific re D - Catego | application professional users. men and women breastfeedin or design of the workplace ne ecific education quirements. ries / dangerous substances | ng must not be exposed to this pro reded to eliminate exposure, must | oduct. The risk, ar | ıd possib | le technica |
| Restric Res Pre pre Demar No SEVESC Not | tions for a tricted to gnant wor cautions o nds for spe specific re D - Catego applicable | application professional users. men and women breastfeedin or design of the workplace ne ecific education quirements. ries / dangerous substances e. | ng must not be exposed to this pro reded to eliminate exposure, must | oduct. The risk, ar | nd possib | le technica |
| Restric Res Pre pre Demar No SEVESC Not | tions for a tricted to gnant wor cautions o nds for spe specific re D - Catego applicable CH, Annex | application professional users. men and women breastfeedin or design of the workplace ne ecific education quirements. ries / dangerous substances e. XVII | ng must not be exposed to this pro reded to eliminate exposure, must | duct. The risk, ar be considered. | | |
| Restric Res Pre pre Demar No SEVESC Not ▼ REAC 2-(2 | tions for a tricted to gnant wor cautions o nds for spe specific re D - Catego capplicable CH, Annex 2-butoxyet | application professional users. men and women breastfeedin or design of the workplace ne ecific education quirements. ries / dangerous substances e. XVII | ng must not be exposed to this pro reded to eliminate exposure, must | duct. The risk, ar be considered. | | |
| Restric Res Pre pre Demar No SEVESC Not V REAC 2-(2 55) | tions for a tricted to gnant wor cautions o nds for spe specific re D - Catego applicable CH, Annex 2-butoxyet | application professional users. men and women breastfeedin or design of the workplace ne ecific education quirements. ries / dangerous substances e. XVII hoxy)ethanol diethylene glyc | ng must not be exposed to this pro eeded to eliminate exposure, must col monobutyl ether is subject to res | duct. The risk, ar be considered. strictions, UK-RE/ | ACH anne | ex XVII (ent |
| Restric Res Pre pre Demar No SEVESC Not ▼ REAC 2-(2 55). 1-m | tions for a tricted to gnant wor cautions o nds for spe specific re D - Catego c applicable CH, Annex 2-butoxyet | application professional users. men and women breastfeedin or design of the workplace ne ecific education quirements. ries / dangerous substances e. XVII hoxy)ethanol diethylene glyc | ng must not be exposed to this pro reded to eliminate exposure, must | duct. The risk, ar be considered. strictions, UK-RE/ | ACH anne | ex XVII (ent |
| Restric Res Pre pre Demar No SEVESC Not V REAC 2-(2 55). 1-m Additio | tions for a tricted to gnant wor cautions o nds for spe specific re 0 - Catego capplicable CH, Annex 2-butoxyet methoxy-2- onal inform | application professional users. men and women breastfeedin or design of the workplace ne ecific education quirements. ries / dangerous substances e. XVII hoxy)ethanol diethylene glyc propanol monopropylene gly nation | ng must not be exposed to this pro eeded to eliminate exposure, must col monobutyl ether is subject to res | duct. The risk, ar be considered. strictions, UK-RE/ | ACH anne | ex XVII (ent |
| Restric Res Pre pre Demar No SEVESC Not V REAC 2-(2 55), 1-m Additic | tions for a tricted to gnant wor cautions o nds for spe specific re D - Catego applicable CH, Annex 2-butoxyet nethoxy-2- onal inform applicable | application professional users. men and women breastfeedin or design of the workplace ne ecific education quirements. ries / dangerous substances e. XVII hoxy)ethanol diethylene glyc propanol monopropylene gly nation | ng must not be exposed to this pro eeded to eliminate exposure, must col monobutyl ether is subject to res | duct. The risk, ar be considered. strictions, UK-RE/ | ACH anne | ex XVII (ent |
| Restric Res Pre pre Demar No SEVESC Not ₹ REAC 2-(2 55). 1-m Additic Not | tions for a tricted to gnant wor cautions o nds for spe specific re D - Catego c applicable CH, Annex 2-butoxyet nethoxy-2- onal inform c applicable | application professional users. men and women breastfeedin or design of the workplace ne ecific education quirements. ries / dangerous substances e. XVII hoxy)ethanol diethylene glyc propanol monopropylene gly nation e. | ng must not be exposed to this pro eeded to eliminate exposure, must col monobutyl ether is subject to res ycol methyl ether is subject to UK-R | duct. The risk, ar be considered. strictions, UK-RE/ | ACH anne | ex XVII (ent |
| Restric Res Pre pre Demar No SEVESC Not V REAC 2-(2 55) 1-m Additic Not Source The | tions for a tricted to gnant wor cautions o ds for spe specific re D - Catego C - Catego | application professional users. men and women breastfeedin or design of the workplace ne ecific education quirements. ries / dangerous substances e. XVII hoxy)ethanol diethylene glyc propanol monopropylene gly nation e. | ng must not be exposed to this pro eeded to eliminate exposure, must l col monobutyl ether is subject to res ycol methyl ether is subject to UK-R | oduct. The risk, ar be considered. strictions, UK-REA | ACH anne s (entry 4 | ex XVII (ent 0). |
| Restric Res Pre pre Demar No SEVESC Not V REAC 2-(2 55), 1-m Additic Not Source The 201 | tions for a tricted to gnant wor cautions o ds for spe specific re 0 - Catego capplicable CH, Annex 2-butoxyet methoxy-2- onal inform capplicable set Health ar 2 No. 171 | application professional users. men and women breastfeedin or design of the workplace ne ecific education quirements. ries / dangerous substances e. XVII hoxy)ethanol diethylene glyc propanol monopropylene gly nation e. ad Safety at Work etc. Act 197 5 ENVIRONMENTAL PROTECT | ng must not be exposed to this pro eeded to eliminate exposure, must col monobutyl ether is subject to res ycol methyl ether is subject to UK-R | oduct. The risk, ar be considered. strictions, UK-REA | ACH anne s (entry 4 | ex XVII (ent 0). |
| Restric Res Pre pre Demar No SEVESC Not ▼ REAC 2-(2 55). 1-m Additic Not Source The 201 Ref | tions for a tricted to gnant wor cautions o nds for spe specific re D - Catego applicable CH, Annex 2-butoxyet nethoxy-2- onal inform applicable s Health ar 2 No. 1715 | application professional users. men and women breastfeedin or design of the workplace ne ecific education quirements. ries / dangerous substances e. XVII hoxy)ethanol diethylene glyc propanol monopropylene gly nation e. ad Safety at Work etc. Act 197 5 ENVIRONMENTAL PROTECT roducts Regulations 2012. | ng must not be exposed to this pro eeded to eliminate exposure, must i col monobutyl ether is subject to res ycol methyl ether is subject to UK-R 74 Regulations 2013. TION: The Volatile Organic Compou | oduct. The risk, ar be considered. strictions, UK-REA EACH restrictions | ACH anne s (entry 4 rnishes a | ex XVII (ent 0). |
| Restric Res Pre pre Demar No SEVESC Not ▼ REAC 2-(2 55) 1-m Additic Source The 201 Ref | tions for a tricted to gnant wor cautions o ds for spe specific re D - Catego C - Catego | application professional users. men and women breastfeedin or design of the workplace ne ecific education quirements. ries / dangerous substances e. XVII hoxy)ethanol diethylene glyc propanol monopropylene gly nation e. ad Safety at Work etc. Act 197 5 ENVIRONMENTAL PROTECT roducts Regulations 2012. U) No 1357/2014 of 18 Decem | ng must not be exposed to this pro eeded to eliminate exposure, must col monobutyl ether is subject to res ycol methyl ether is subject to UK-R | oduct. The risk, ar be considered. strictions, UK-REA EACH restrictions unds in Paints, Van d amended in UK | ACH anne s (entry 4 rnishes a law. | ex XVII (en 0). nd Vehicle |

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H226, Flammable liquid and vapour.



H302, Harmful if swallowed. H315, Causes skin irritation. H319, Causes serious eye irritation. H336, May cause drowsiness or dizziness. Abbreviations and acronyms ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne (European conformity) CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EuPCS = European Product Categorisation System EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals GWP = Global warming potential IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

RO



▼ Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en